



PRODUCT CATALOG




Through Research Innovative

PEAK PERFORMANCE

AT THE RIGHT PRICE.

TRI[®] PERFORMANCE CONCEPT



The TRI[®] Performance Concept integrates 4 Gold Standards, in order to make the life of the practitioner as **SIMPLE** and yet **HIGH PERFORMING** and to achieve natural esthetic results in daily practice.

The TRI[®] Performance Concept is incorporated in the **Bone Level** (TRI[®]-Narrow, TRI[®]-Vent) and **Tissue Level** (TRI[®]-Octa) implant lines and ensures optimal esthetic results both in the anterior and posterior area.

Designed and Manufactured by TRI[®] in Switzerland



A LEAN AND INTELLIGENT IMPLANT CONCEPT.

The TRI® Dental Implant System combines the pure simplicity of one connection with the esthetic flexibility of the TRI® Soft Tissue Concept. A unique lean, and yet intelligent blend for success in daily practice.



ONE SIZE
FITS ALL



TRI®-Vent

TRI®-VENT IMPLANTS - Includes Surgical Cover Screw TVSCS

Implant Ø	Implant Platform	Connection	6.5 mmL	8 mmL	10 mmL	11.5 mmL	13 mmL	16 mmL
3.75 mm	3.5 mmD	⬡ 2.5 mmD Internal Hexagon		TV37M08	TV37M10	TV37M11	TV37M13	TV37M16
4.1 mm			TV41M06	TV41M08	TV41M10	TV41M11	TV41M13	TV41M16
4.7 mm			TV47M06	TV47M08	TV47M10	TV47M11	TV47M13	TV47M16



TRI®-Narrow

TRI®-NARROW IMPLANTS - Includes Surgical Cover Screw TNSCS

Implant Ø	Implant Platform	Connection	10 mmL	11.5 mmL	13 mmL	16 mmL
3.3 mm	3.2 mmD	⬡ 2.1 mmD Internal Hexagon	TN33M10	TN33M11	TN33M13	TN33M16



TRI®-Octa

TRI®-OCTA IMPLANTS - Includes Surgical Cover Screw TOSCS









Implant Ø	Implant Platform	Connection	6.5 mmL	8 mmL	10 mmL	11.5 mmL	13 mmL
3.75 mm	4.8 mmD 1.8 mm Shoulder	⬡ 3.1 mmD Internal Octagon		TO37M08	TO37M10	TO37M11	TO37M13
4.1 mm			TO41M06	TO41M08	TO41M10	TO41M11	TO41M13
4.7 mm			TO47M06	TO47M08	TO47M10	TO47M11	TO47M13

TRI®- VENT PROSTHETICS

3.5 mmD Implant Platform

Healing Collars

TISSUE HEALING - HEALING COLLARS

Product Code		Ø	GH	Material	Qty	Sterile
TVHC35-30	Healing Collar	3.5 mm	3.0 mm	Ti-6Al-4V	1	
TVHC35-45	Healing Collar	3.5 mm	4.5 mm	Ti-6Al-4V	1	
TVHC35-60	Healing Collar	3.5 mm	6.0 mm	Ti-6Al-4V	1	
TVHC35-60-A	Suture Healing Collar	3.5 mm	6.0 mm	Ti-6Al-4V	1	
TVHC50-30	Healing Collar	5.0 mm	3.0 mm	Ti-6Al-4V	1	
TVHC50-45	Healing Collar	5.0 mm	4.5 mm	Ti-6Al-4V	1	
TVHC50-60	Healing Collar	5.0 mm	6.0 mm	Ti-6Al-4V	1	
TVHC50-60-A	Suture Healing Collar	5.0 mm	6.0 mm	Ti-6Al-4V	1	



SURGICAL COVER SCREWS


Product Code		Ø	GH	Material	Qty	Sterile
TVSCS	Replacement Cover Screw	3,5 mm		Ti-6Al-4V	1	
TVSCS-SL	Cover Screw for Sinus Lift	5,2 mm		Ti-6Al-4V	1	



Impression Transfer Components, Implant Analogs

DIRECT TRANSFER FOR OPEN-TRAY IMPRESSIONS - INCLUDES SCREW DTRS-TV05

Product Code		Ø	GH	Material	Qty	Sterile
TV05-35	Direct Transfer Component	3.5 mm		Ti-6Al-4V	1	
TV05-50	Direct Transfer Component	5.0 mm		Ti-6Al-4V	1	
DTRS-TV05	Direct Transfer Retaining Screw			Ti-6Al-4V	1	



INDIRECT TRANSFER / STRAIGHT ABUTMENT FOR CLOSED-TRAY IMPRESSIONS

CLOSED-TRAY IMPRESSIONS - INCLUDES SCREW RS-TV10 AND IMPRESSION CAP ITC

Product Code		Ø	GH	Material	Qty	Sterile
TV10-35-ITC	Transfer and Straight Abutment	3.5 mm		Ti-6Al-4V	1	
TV10-50-ITC	Transfer and Straight Abutment	5.0 mm		Ti-6Al-4V	1	
ITC	Indirect Transfer Cap			POM	5	
RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	



IMPLANT ANALOG

Product Code		Material	Qty	Sterile
TVIA-1	Implant Analog	Steel	1	
TVIA-5	Implant Analog (5 Pack)	Steel	5	



Components for Cement-Retained Restorations

PLASTIC TEMPORARY ABUTMENTS - INCLUDES SCREW RS-TV20

Product Code		Ø	Material	Qty	Sterile
TV10-PTA	Temporary Abutment, Straight	4.5 mm	PEEK	1	
RS-TV20	Replacement Retaining Screw		Ti-6Al-4V	1	
RS-TV20-Lab	Replacement Retaining Screw - Lab Use - Red		Ti-6Al-4V	1	
TV10-EHA-50	Esthetic Healing Abutment	5.0 mm	PEEK	1	
TV10-EHA-70	Esthetic Healing Abutment	7.0 mm	PEEK	1	
RS-TV10	Replacement Retaining Screw		Ti-6Al-4V	1	
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green		Ti-6Al-4V	1	
DTRS-TV05	Retaining Screw - long for TV10HCA		Ti-6Al-4V	1	



TV10-PTA



TV10-EHA-70



TV10-EHA-50

STRAIGHT ABUTMENTS WITH TRI®-FRICTION - INCLUDES SCREW RS-TV10

Product Code		Ø	GH	Material	Qty	Sterile
TV10-35-F	Straight Abutment with TRI®-Friction	3.5 mm		Ti-6Al-4V	1	
TV10-50-F	Straight Abutment with TRI®-Friction	5.0 mm		Ti-6Al-4V	1	
TV10-41-F	Contour Abutment, Straight with TRI®-Friction	4.5 mm	1.0 mm	Ti-6Al-4V	1	
TV10-43-F	Contour Abutment, Straight with TRI®-Friction	4.5 mm	3.0 mm	Ti-6Al-4V	1	
RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	



TV10-35-F



TV10-50-F



TV10-41-F

ANGLED ABUTMENTS WITH TRI®-FRICTION - INCLUDES SCREWS RS-TV10/RS-TV20

Product Code		Ø	GH	Material	Qty	Sterile
TV20-50-F	Angled Abutment, Standard - 20° with TRI®-Friction	5.0 mm		Ti-6Al-4V	1	
RS-TV20	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TV20-Lab	Replacement Retaining Screw - Lab Use - Red			Ti-6Al-4V	1	
TV20-41-F	Contour Abutment, Angled - 17° with TRI®-Friction	4.5 mm	1.0 mm	Ti-6Al-4V	1	
TV20-43-F	Contour Abutment, Angled - 17° with TRI®-Friction	4.5 mm	3.0 mm	Ti-6Al-4V	1	
RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	



TV20-43-F



TV20-50-F

CH = Gingiva Height

Castable Abutments

CASTABLE ABUTMENTS, ENGAGING - INCLUDES SCREW RS-TV10

Product Code		Ø	GH	Material	Qty	Sterile
TV30-50-F	Gold Castable Abutment with TRI®-Friction	5.0 mm		HMA	1	
TV35-50	Platin-Iridium Castable Abutment	5.0 mm		PtIr	1	
RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	



TV30-50-F



TV35-50

Components for Screw-Retained Restorations

SCREW-RETAINED MULTI UNIT ABUTMENTS

Product Code		Ø	GH	Material	Qty	Sterile
TV40-01	Screw-Retained Abutment, Straight	4.5 mm	1.0 mm	Ti-6Al-4V	1	
TV40-02	Screw-Retained Abutment, Straight	4.5 mm	2.0 mm	Ti-6Al-4V	1	
TV40-04	Screw-Retained Abutment, Straight	4.5 mm	4.0 mm	Ti-6Al-4V	1	
TV40-06	Screw-Retained Abutment, Straight	4.5 mm	6.0 mm	Ti-6Al-4V	1	
TV50-17	Screw Retained Abutment, 17° angled	4.5 mm	2.0 mm	Ti-6Al-4V	1	
TV50-30	Screw Retained Abutment 30° Angled	4.5 mm	3.0 mm	Ti-6Al-4V	1	
HCSRAS	Healing Cap for Screw-Retained Abutment			Ti-6Al-4V	1	
TTA	Titanium Abutment incl. Screw RS-TTA			Ti-6Al-4V	1	
RS-TTA	Replacement Retaining Screw for TTA			Ti-6Al-4V	1	
RS-TTAL	Replacement Retaining Screw Long for TTA			Ti-6Al-4V	1	
DTC-SRA	Direct Transfer Component for Screw-Retained Abutment incl. TRS-SRA			Ti-6Al-4V	1	
DTRS-SRA	Direct Transfer Retaining Screw			Ti-6Al-4V	1	
IA-SRA	Tapered Abutment Replica			Ti-6Al-4V	1	
PCC	Plastic Castable Coping incl. Screw RS-PCC			POM	1	
RS-PCC	Replacement Retaining Screw for PCC			Ti-6Al-4V	1	
RS-PCC-Lab	Replacement Retaining Screw - Lab Use - Blue			Ti-6Al-4V	1	



TV40-02



TV50-30



TV50-17



TTA



PCC



DTC-SRA



DTRS-SRA




IA-SRA

Overdenture Restorations

BALL ABUTMENTS - INCLUDES CAHL

Product Code		Ø	GH	Material	Qty	Sterile
TV60-02	Ball Abutment incl. CAHL	4.5 mm	2.0 mm	Ti-6Al-4V	1	
TV60-04	Ball Abutment incl. CAHL	4.5 mm	4.0 mm	Ti-6Al-4V	1	
CAHL	Cap Attachment Housing and Liner - Transparent	4.0 mm		Stainless steel	1	
CAH	Cap Attachment Housing			Ti	1	
CALT	Cap Attachment Liner- (Transparent - Standard retention)			Nylon	1	
CALG	Cap Attachment Liner - (Gray - Rigid retention)			Nylon	1	
CALB	Cap Attachment Liner - Lab Use - Black			Nylon	1	



LOCATOR® ABUTMENTS

Product Code		Ø	GH	Material	Qty	Sterile
08661	Locator Abutment			TiN	1	
08662	Locator Abutment		1.0 mm	TiN	1	
08663	Locator Abutment		2.5 mm	TiN	1	
08664	Locator Abutment		3.5 mm	TiN	1	
08665	Locator Abutment		4.5 mm	TiN	1	
08626	Locator Abutment		6.5 mm	TiN	1	
08530	Locator Female Analog			Al	2	
08505	Locator Impression Coping			Al	2	
08519	Male Processing Package				2	
08524	Replacement Male - Standard Retention - Transparent			Nylon	1	
08527	Light Retention Replacement Male - Pink			Nylon	1	
08529	Extra Light Retention Replacement Male - Blue			Nylon	1	
08547	Extended Range Replacement Male - Green			Nylon	1	
08548	Extra Light Extended Range Male - Red			Nylon	1	



Components for TRI + CAD/CAM

CAD/CAM ABUTMENTS - INCLUDES SCREW RS-TV10

Product Code		Ø	GH	Material	Qty	Sterile
TV70-07-F	Titanium Bonding-Base with TRI®-Friction	4.5 mm	0.7 mm	Ti-6Al-4V	1	
TV70-20-F	Titanium Bonding-Base with TRI®-Friction	4.5 mm	2.0 mm	Ti-6Al-4V	1	
TV70-SCAN	Scanbody for Laboratory and Intraoral Scanner			PEEK	1	
RS-TV10	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TV10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	



GH = Gingiva Height


TRI®- NARROW PROSTHETICS

3.2 mmD Implant Platform

Healing Collars

TISSUE HEALING - HEALING COLLARS

Product Code		Ø	GH	Material	Qty	Sterile
TNHC35-30	Healing Collar	3.5 mm	3.0 mm	Ti-6Al-4V	1	☑
TNHC35-45	Healing Collar	3.5 mm	4.5 mm	Ti-6Al-4V	1	☑
TNHC35-60	Healing Collar	3.5 mm	6.0 mm	Ti-6Al-4V	1	☑
TNHC35-60-A	Suture Healing Collar	3.5 mm	6.0 mm	Ti-6Al-4V	1	☑
TNHC45-30	Healing Collar	4.5 mm	3.0 mm	Ti-6Al-4V	1	☑
TNHC45-50	Healing Collar	4.5 mm	5.0 mm	Ti-6Al-4V	1	☑



SURGICAL COVER SCREW

Product Code		Ø	GH	Material	Menge	Sterile
TNSCS	Replacement Cover Screw	3,2 mm		Ti-6Al-4V	1	☑



Impression Transfer Components, Implant Analogs

DIRECT TRANSFER FOR OPEN-TRAY IMPRESSIONS - INCLUDES SCREW DTRS-TN05

Product Code		Ø	GH	Material	Qty	Sterile
TN05-35	Direct Transfer Component	3.5 mm		Ti-6Al-4V	1	
DTRS-TN05	Direct Transfer Retaining Screw			Ti-6Al-4V	1	



INDIRECT TRANSFER / STRAIGHT ABUTMENT FOR CLOSED-TRAY IMPRESSIONS CLOSED TRAY IMPRESSIONS – INCLUDES SCREW RS-TN10 AND IMPRESSION CAP ITC

Product Code		Ø	GH	Material	Qty	Sterile
TN10-35-ITC	Indirect Transfer Component	3.5 mm		Ti-6Al-4V	1	
RS-TN10	Replacement Retaining Screw			Ti-6Al-4V	1	



IMPLANT ANALOG

Product Code		Material	Qty	Sterile
TNIA-1	Implant Analog	Ti-6Al-4V	1	
TNIA-5	Implant Analog (5 Pack)	Ti-6Al-4V	5	



Components for Cement-Retained Restorations

PLASTIC TEMPORARY ABUTMENT - INCLUDES SCREW RS-TN20

Product Code		Ø	GH	Material	Qty	Sterile
TN10-PTA	Temporary Abutment, Straight	3.5 mm		PEEK	1	
RS-TN20	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TN20-Lab	Replacement Retaining Screw - Lab Use - Red			Ti-6Al-4V	1	



TN10-PTA

STRAIGHT ABUTMENTS WITH TRI®-FRICTION - INCLUDES SCREW RS-TN10

Product Code		Ø	GH	Material	Qty	Sterile
TN10-35-F	Straight Abutment with TRI®-Friction	3.5 mm		Ti-6Al-4V	1	
TN10-41-F	Contour Abutment, Straight with TRI®-Friction	4.0 mm	1.0 mm	Ti-6Al-4V	1	
TN10-43-F	Contour Abutment, Straight with TRI®-Friction	4.0 mm	3.0 mm	Ti-6Al-4V	1	
RS-TN10	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TN10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	



TN10-41-F



TN10-35-F

ANGLED ABUTMENTS WITH TRI®-FRICTION - INCLUDES SCREW RS-TN10/RS-TN20

Product Code		Ø	GH	Material	Qty	Sterile
TN20-45-F	Angled Abutment, 20° with TRI®-Friction	4.5 mm		Ti-6Al-4V	1	
TN20-41-F	Contour Abutment, Angled - 17° with TRI®-Friction	4.0 mm	1.0 mm	Ti-6Al-4V	1	
TN20-43-F	Contour Abutment, Angled - 17° with TRI®-Friction	4.0 mm	3.0 mm	Ti-6Al-4V	1	
RS-TN10	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TN10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	



TN20-41-F



TN20-45-F

Castable Abutments

GOLD ABUTMENTS, ENGAGING - INCLUDES SCREW RS-TN10




Product Code		Ø	GH	Material	Qty	Sterile
TN30-45-F	Gold Castable Abutment with TRI®-Friction	4.5 mm		HMA	1	
RS-TN10	Replacement Retaining Screw			Ti-6Al-4V	1	
RS-TN10-Lab	Replacement Retaining Screw - Lab Use - Green			Ti-6Al-4V	1	



TN30-45-F

Components for Screw-Retained Restorations

SCREW-RETAINED MULTI UNIT ABUTMENTS

Product Code		Ø	GH	Material	Qty	Sterile
TN40-02	Screw-Retained Abutment, Straight	4.5 mm	2.0 mm	Ti-6Al-4V	1	
TN40-04	Screw-Retained Abutment, Straight	4.5 mm	4.0 mm	Ti-6Al-4V	1	
HCSRA	Healing Cap for Screw-Retained Abutment			Ti-6Al-4V	1	
TTA	Titanium Abutment incl. Screw RS-TTA			Ti-6Al-4V	1	
RS-TTA	Replacement Retaining Screw for TTA			Ti-6Al-4V	1	
RS-TTAL	Replacement Retaining Screw Long for TTA			Ti-6Al-4V	1	
DTC-SRA	Direct Trasfer Component for Screw-Retained Abutment incl. DTRS			Ti-6Al-4V	1	
DTRS-SRA	Direct Transfer Retaining Screw			Ti-6Al-4V	1	
IA-SRA	Tapered Abutment Replica			Ti-6Al-4V	1	
PCC	Plastic Castable Coping incl. Screw RS-PCC			POM	1	
RS-PCC	Replacement Retaining Screw for PCC			Ti-6Al-4V	1	
RS-PCC-Lab	Replacement Retaining Screw - Lab Use - Blue			Ti-6Al-4V	1	



TN40-02



TTA



PCC



DTC-SRA



DTRS-SRA



IA-SRA

Overdenture Restorations

BALL ABUTMENTS - INCLUDES CAHL

Product Code		Ø	GH	Material	Qty	Sterile
TN60-02	Ball Abutment incl. CAHL	4.5 mm	2.0 mm	Ti-6Al-4V	1	
TN60-04	Ball Abutment incl. CAHL	4.5 mm	4.0 mm	Ti-6Al-4V	1	
CAHL	Cap Attachment Housing and Liner - Transparent			Stainless steel	1	
CAH	Cap Attachment Housing			Stainless steel	1	
CALT	Cap Attachment Liner - Transparent			Nylon	1	
CALG	Cap Attachment Liner - Gray			Nylon	1	
CALB	Cap Attachment Liner - Lab Use - Black			Nylon	1	



TN60-04



CAHL

TRI®- OCTA PROSTHETICS

4.8 mmD Implant Platform

Healing Collars

TISSUE HEALING - HEALING COLLARS

Product Code		Ø	GH	Material	Qty	Sterile
TOSCS	Surgical Cover Screw	3.5 mm		Ti-6Al-4V	1	
TOHC51-15	Healing Collar	5.1 mm	1.5 mm	Ti-6Al-4V	1	
TOHC51-30	Healing Collar	5.1 mm	3.0 mm	Ti-6Al-4V	1	



Impression Transfer Components, Implant Analogs

DIRECT TRANSFER FOR OPEN-TRAY IMPRESSIONS - INCLUDES SCREW DTRS-TO05

Product Code		Ø	GH	Material	Qty	Sterile
TO05-51	Direct Transfer Component	5.1 mm		Ti-6Al-4V	1	
DTRS-TO05	Direct Transfer Retaining Screw			Ti-6Al-4V	1	



INDIRECT TRANSFER / STRAIGHT ABUTMENT FOR CLOSED-TRAY IMPRESSIONS

INCLUDES SCREW RS-TO10 AND IMPRESSION CAP ITC

Product Code		Ø	GH	Material	Qty	Sterile
TO10-35-ITC	Transfer and Straight Abutment	3.5 mm		Ti-6Al-4V	1	
TO10-51-ITC	Transfer and Straight Abutment	5.1 mm		Ti-6Al-4V	1	
DTRS-TO05	Direct Transfer Retaining Screw			Ti-6Al-4V	1	
ITC	Indirect Transfer Cap			POM	5	
RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1	



IMPLANT ANALOG

Product Code		Material	Qty	Sterile
TOIA	Implant Analog	Ti-6Al-4V	1	
TOIA-5	Implant Analog (5 Pack)	Ti-6Al-4V	5	



Components for Cement-Retained Restorations

PLASTIC TEMPORARY ABUTMENTS - INCLUDES SCREW RS-TO

Product Code		Ø	GH	Material	Qty	Sterile
TO10-PTA	Temporary Abutment, Straight	5.1 mm		PEEK	1	
RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1	



TO10-PTA

STRAIGHT ABUTMENTS - INCLUDES SCREW RS-TO

Product Code		Ø	GH	Material	Qty	Sterile
TO10-35	Straight Abutment	3.5 mm		Ti-6Al-4V	1	
TO10-51	Straight Abutment	5.1 mm		Ti-6Al-4V	1	
RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1	



TO10-35



TO10-51

ANGLED ABUTMENTS - INCLUDES SCREW RS-TO

Product Code		Ø	GH	Material	Qty	Sterile
TO20-51	Angled Abutment, Standard - 20°	5.1 mm		Ti-6Al-4V	1	
RS-TO	Replacement Retaining Screw			Ti-6Al-4V	1	



TO20-51


Components for Screw-Retained Restorations

SCREW-RETAINED MULTI UNIT ABUTMENTS

Product Code		Ø	GH	Material	Qty	Sterile
TO40-16	Screw-Retained Abutment, Straight	4.5 mm	1.6 mm	Ti-6Al-4V	1	®
TO40-30	Screw-Retained Abutment, Straight	4.5 mm	3.0 mm	Ti-6Al-4V	1	®
HCSRAS	Healing Cap for Screw-Retained Abutment			Ti-6Al-4V		®
TTA	Titanium Temporary Abutment incl. Screw RS-TTA			Ti-6Al-4V	1	
RS-TTA	Replacement Retaining Screw for TTA			Ti-6Al-4V	1	
RS-TTAL	Replacement Retaining Screw Long for TTA			Ti-6Al-4V	1	
DTC-SRA	Direct Transfer Component for Screw-Retained Abutment incl. DTRS			Ti-6Al-4V	1	
DTRS-SRA	Direct Transfer Retaining Screw			Ti-6Al-4V	1	
IA-SRA	Tapered Abutment Replica			Ti-6Al-4V	1	
PCC	Plastic Castable Coping incl. Screw RS-PCC			POM	1	
RS-PCC	Replacement Retaining Screw for PCC			Ti-6Al-4V	1	
RS-PCC-Lab	Replacement Retaining Screw - Lab Use - Blue			Ti-6Al-4V	1	



TO40-16



TO40-30



TTA



PCC



DTC-SRA



DTRS-SRA



IA-SRA

Overdenture Restorations

BALL ABUTMENTS - INCLUDES CAHL

Product Code		Ø	GH	Material	Qty	Sterile
TO60-16	Ball Abutment incl. CAHL	4.5 mm	1.6 mm	Ti-6Al-4V	1	☑
TO60-30	Ball Abutment incl. CAHL	4.5 mm	3.0 mm	Ti-6Al-4V	1	☑
CAHL	Cap Attachment Housing and Liner - Transparent			Stainless steel	1	
CAH	Cap Attachment Housing			Stainless steel	1	
CALT	Cap Attachment Liner - Transparent			Nylon	1	
CALG	Cap Attachment Liner - Gray			Nylon	1	
CALB	Cap Attachment Liner - Lab Use - Black			Nylon	1	



LOCATOR® ABUTMENTS


Product Code		Ø	GH	Material	Qty	Sterile
08939	Locator-Abutment	4.5mm	1.3 mm	TiN	1	
08941	Locator-Abutment	4.5mm	3.0mm	TiN	1	
08530	Locator Female Analog			Al	2	
08505	Locator Impression Coping			Al	2	
08519	Male Processing Package				2	
08524	Replacement Male - Standard Retention - Transparent			Nylon	1	
08527	Light Retention Replacement Male - Pink			Nylon	1	
08529	Extra Light Retention Replacement Male - Blue			Nylon	1	
08547	Extended Range Replacement Male - Green			Nylon	1	
08548	Extra Light Extended Range Male - Red			Nylon	1	



Components for TRI+ CAD/CAM

CAD/CAM ABUTMENT - INCLUDES SCREW



























Product Code		Ø	GH	Material	Qty	Sterile
TO70-07	Titanium Bonding-Base	4.5 mm	0.7 mm	Ti-6Al-4V	1	
TO70-Scan	Scanbody for Laboratory and Intraoral Scanner			PEEK	1	







INSTRUMENTS

ONE SURGICAL KIT FOR ALL IMPLANT LINES.



Surgical Kit for the TRI® Dental Implant System

Starting Drills		Description	
LD-1.6	Nr. 1	Lance Drill	
RB-2.3	Nr. 2	Round Bur	
DE	Nr. 3	Drill Extender	
Surgical Drills		Description	
TPD-2.3S	Nr. 4	Pilot Drill - Short - 2.3 mm	
TPD-2.3L	Nr. 5	Pilot Drill - Long - 2.3 mm	
TND-3.3L	Nr. 6	TRI®-Narrow Final Drill - Long - 2.4/2.8 mm	
TAP3.3	Nr. 7	TRI®-Narrow TAP	
SBD-3.7S	Nr. 8	3.7 Soft Bone Drill - Short - 2.7/3.1 mmD	
SBD-3.7L	Nr. 9	3.7 Soft Bone Drill - Long - 2.7/3.1 mmD	
DBD-3.7L	Nr. 10	3.7 Dense Bone Drill - Long - 2.9/3.6 mmD	
TAP3.7	Nr. 11	3.7 Tap	
SBD-4.1S	Nr. 12	4.1 Soft Bone Drill - Short - 3.0/3.4 mmD	
SBD-4.1L	Nr. 13	4.1 Soft Bone Drill - Long - 3.0/3.4 mmD	
DBD-4.1L	Nr. 14	4.1 Dense Bone Drill - Long - 3.2/3.9 mmD	
TAP4.1	Nr. 15	4.1 Tap	
SBD-4.7S	Nr. 16	4.7 Soft Bone Drill - Short - 3.6/4.0 mmD	
SBD-4.7L	Nr. 17	4.7 Soft Bone Drill - Long - 3.6/4.0 mmD	
DBD-4.7L	Nr. 18	4.7 Dense Bone Drill - Long - 3.8/4.6 mmD	
TAP4.7	Nr. 19	4.7 Tap	
PP-L	Nr. 21	Paralell Pin - Long	
Implant Drivers		Description	
VD-S		TRI®-Vent Implant Driver - Short	
VD-L		TRI®-Vent Implant Driver - Long	
ND-S		TRI®-Narrow Implant Driver - Short	
ND-L		TRI®-Narrow Implant Driver - Long	
OD-S		TRI®-Octa Implant Driver - Short	
OD-L		TRI®-Octa Implant Driver - Long	
ID		Implant Driver	

Prosthetic Tools

PD-S	TRI® Prosthetic Driver - Short	
PD-L	TRI® Prosthetic Driver - Long	
TRT	Removal Tool for TRI®-Vent&Narrow Friction Abutments	
TORT	Removal Tool for TRI®-Octa Friction Abutments	

Torque Wrench

TW	Torque Wrench	
TW - Adapter	Torque Wrench Adapter	

Drill Stop

TDS6	Drill Stop / 6 mm	
TDS8	Drill Stop / 8 mm	
TDS10	Drill Stop / 10 mm	
TDS11	Drill Stop / 11 mm	
TDS13	Drill Stop / 13 mm	
TPDS	Guided Surgery Sleeve for TPD-2.3L	

Other

TSK	TRI® Surgical Kit - Complete
TSK-Basic	TRI® Surgical Kit - Basic
TSK-Tray	TRI® Surgical Kit - Tray
TRI Sinus Kit	TRI® Sinus Lift Kit - Complete
TRI SINUS SUCTION	TRI® Sinus Suction Device

Prosthetic Kit for the TRI®Dental Implant System


Catalog Number

PK	Prosthetic Kit - Complete (includes: THD, THDL, THDL-MD & THDD, TRT, TW)
PK-Tray	Prosthetic Kit - Tray
THD	Hex Driver - Short - 1.25 mm - 14.5 mmL
THDL	Hex Driver - Long - 1.25 mm - 21 mmL
THDL-MD	Manual Hex Driver - Long - 1.25 mm - 27 mmL
THDD	Latch-Lock Hex Driver - 1.25 mm
TRT	Removal Tool for TRI®-Vent&Narrow Friction Abutments
TW	Torque Wrench, Adjustable Torque Range 10-50 Ncm
08393	Locator Core Tool
08926	Locator Torque Wrench Insert Driver, Short, 15 mmL
08927	Locator Torque Wrench Insert Driver, Long, 21 mmL
TVAH	Abutment Holder for TRI®-Vent
TNAH	Abutment Holder for TRI®-Narrow
TOAH	Abutment Holder für TRI®-Octa einfügen
ITFC	Insertion Tool for Caps - Ball Abutment
RTFC	Removal Tool for Caps - Ball Abutment




DRILL SEQUENCE


3.3 mmD TRI®-Narrow



Lance Drill



TPD-2.3L
PilotDrill 2.3 mmD
optional with
Drill Stop




SOFT / DENSE BONE
TND-3.3L
2.4/2.8 mmD Drill



DENSE BONE
TAP-3.3
Cortical Bone TAP
in D1 Bone


3.75 mmD TRI®-Vent and TRI®-Octa




Lance Drill



TPD-2.3L
PilotDrill 2.3 mmD
optional with
Drill Stop



SOFT BONE
SBD-3.7L
2.7/3.1 mmD Drill




DENSE BONE
DBD-3.7L
2.9/3.6 mmD Drill




DENSE BONE
TAP-3.7
Cortical Bone TAP
in D1 Bone


4.1 mmD TRI®-Vent and TRI®-Octa




Lance Drill




TPD-2.3L
PilotDrill 2.3 mmD
optional with
Drill Stop



SBD-3.7L
2.7/3.1 mmD Drill



SOFT BONE
SBD-4.1L
3.0/3.4 mmD Drill




DENSE BONE
DBD-4.1L
3.2/3.9 mmD Drill



DENSE BONE
TAP-4.1
Cortical Bone TAP
in D1 Bone


4.7 mmD TRI®-Vent and TRI®-Octa




Lance Drill




TPD-2.3L
PilotDrill 2.3 mmD
optional with
Drill Stop




SBD-3.7L
2.7/3.1 mmD Drill




SBD-4.1L
3.0/3.4 mmD Drill



SOFT BONE
SBD-4.7L
3.6/4.0 mmD Drill




DENSE BONE
DBD-4.7L
3.8/4.5 mmD Drill




DENSE BONE
TAP-4.7
Cortical Bone TAP
in D1 Bone

DRILL AND IMPLANT LENGTHS



TORQUE RECOMMENDED




TRI® POD

PACKAGING HANDLING



Step 1
Open Lid



Step 2
Rotate To Remove Implant

3 Options for Implant Insertion




Ratchet



Handpiece



By hand



Step 3
Remove Cover Screw

IMPLANTOLOGY

MOTOR SYSTEM MD11

Unsurpassed reliability - the surgery motor system from 

The new MD 11 together with its brother, the MD 30 Motor System, are developed with the intention to put extra smoothness into your hands. The further development of its electronic motor and a sophisticated motor control are key players in this new generation of Nouvag motor systems. This reflects also the new design with smooth edges for easy cleaning and a display that gives you all the information at a glance. Single function keys with haptic and audible feedback guarantee for accurate device setup.



TRI ACADEMY

To learn more about our products visit our TRI® Academy Courses and Webinars: academy@tri-implants.swiss

Designed and Manufactured by TRI® in Switzerland

Designed in the heart of Switzerland, all implants are produced in specialized manufacturing units for dental implants. Therefore benefiting from more than 25 years of medical technology production know-how - the only way to guarantee Swiss Precision with high quality. Visit us in Switzerland: visit@tri-implants.swiss





TRI Dental Implants Int. AG

Switzerland

Infoline: 00800 3313 3313

www.tri-implants.swiss

Become a TRI® Follower     

TRI® Dental Implants, the **TRI® Dental Implants** logotype and all other trademarks used in this document are, if nothing else is stated or is evident from the context in a certain case, trademarks of the **TRI Dental Implants Int. AG**.

2016-04



CE 1023 